


High-End Surface Finishing KLEIBERIT HotCoating®



The revolution in surface finishing. A technology conquers the globe.



Years of research and development as well as decades of experience in the application of reactive PUR hotmelt adhesive systems were the basis and prerequisite for the successful international market launch of KLEIBERIT HotCoating® technology. In the meantime, more than 50 systems are in operation worldwide in the field of furniture element finishing, flooring and facade element coating as well as the finishing of roll goods for the wrapping of profiles.

HIGH-END SURFACE FINISHING FOR FURNITURE COMPONENTS

Furniture with a very high gloss index (> 90 GE) or a super matte finish (< 5 GE) are a current trend. KLEIBERIT HotCoating® technology enables very high color precision, impressive depth effects, super smooth haptics, high quality glossy finishes, and excellent resistance to scratches and impact. Above all, it has impressive processing properties in terms of drilling, milling and sawing the finished products, due to the outstanding chemical adhesion and flexibility of HotCoating.

FEATURES

- High-quality varnished surfaces
- Anti-fingerprint
- Scratch-resistant
- UV-resistant
- Antibacterial – easy to clean, e.g. in kitchens, bathrooms and clinical areas
- Digital printing
- Fire protection
- Magnetic

HIGH-END SURFACE FINISHING FOR MATERIAL IN ROLLS

New dimensions in roll-to-roll coating

- Working width: up to 1600 mm
- Line speed: up to 50 m/min
- Suitable for veneer, paper, thermoplastic foils and CPL
- Suitable for highest wear resistant HotCoating with corundum
- Excimer system for super matte surfaces
- Surface finishing in combination with digital printing and embossing
- Innovative application possibilities in indoor and outdoor areas



HIGH-END SURFACE FINISHING FOR FLOORING INTERIOR/EXTERIOR

HotCoating offers many benefits to industrial floor manufacturers and floor coating companies - it is a compact and easy-to-use technology that opens up a wide range of options for floors with top-quality properties:

- Extremely high abrasion and impact resistance
- Embossed textures (Impress Touch)
- Pleasant warm and soft haptics and chemical resistance
- Perfect combination with digital printing



HIGH-END SURFACE FINISHING FOR FACADES

Facade and parapet elements finished with HotCoating defy wind and weather.

- Highly resistant compact panels
- Anti-fingerprint properties
- Variety of designs and surface structures
- Resistant to UV-light, frost, heat, and water
- Flame retardant, extremely scratch resistant, and easy to clean with additional anti-graffiti properties



BIO-BASED / RECYCLING

KLEIBERIT® relies on sustainable raw materials and production method to reduce fossil resource use and emissions.

ADVANTAGES

- **Over 50% bio-based** raw materials in new KLEIBERIT HotCoating® types
- All product variants in ME quality (Micro-Emission), thus non-labeling
- 100% produced with renewable energy
- Use of recycled raw materials

DUALCURE / FAST SETTING

The principle of moisture-curing PUR coating is the base for the outstanding properties of KLEIBERIT HotCoating®:

universal, chemical adhesion, flexibility, resistance

In some applications the required curing time can be an issue. Now KLEIBERIT has succeeded in combining these properties with photochemical curing in milliseconds.


- Highly resistant compact panels
- Anti-fingerprint properties
- Variety of designs and surface structures
- Resistant to UV-light, frost, heat, and water
- Flame retardant, extremely scratch resistant, and easy to clean with additional anti-graffiti properties

TECHNICAL SURFACES

The KLEIBERIT HotCoating® layer structure creates extremely durable surfaces with high flexibility.

ADVANTAGES

- Reliable adhesion
- High abrasion and impact resistance
- Prevents cracks and chipping
- Tintable for decorative protective layers
- Suitable for plywood panels, truck and trailer floors/walls, worktops, anti-slip surfaces



KLEIBERIT HotCoating® DIRECT TOP

HotCoating direct top is a laminating and wrapping material made with HotCoating. It combines the excellent properties and benefits that have proven themselves in many years of use. Serving both as a protective and a decorative layer, HotCoating provides many benefits besides cost savings, such as splitting resistance and flexibility. It is also ideal for customized small batch manufacturing.

ECOLOGICAL

- Based on renewable raw materials
- PVC free
- Formaldehyde/VOC free

SPLITTING RESISTANCE

- Water and temperature resistance




COST-EFFECTIVE

- Protective and decorative layer in one
- Adhesive serves as the base coat
- For use with state-of-the-art one-piece flow laminating systems

IDEAL PROCESSING

- Maximum value creation for companies and clients alike
- Stable and reliable printable surface
- Customizable + small batch lots possible with digital printing
- Wide range of lamination processes & laminating units for surfaces and edges
- Short-cycle presses, roller systems, slit nozzle systems, reactivation processes



Would you like expert advice or do you need more detailed information? Contact us directly by email, phone or visit our website.

KLEIBERIT SE & Co. KG
Max-Becker-Str. 4
76356 Weingarten/Germany
Phone: +49 7244 62-0
Fax: +49 7244 700-0
Email: info@kleiberit.com
www.kleiberit.com

